

### MAC ARANDELL HAND SANITISER GEL -

#### **70% ETHANOL**

**Public Health Hand Sanitiser** 

#### 1. IDENTIFICATION OF THE MATERIAL AND THE MANUFACTURER

Product Name MAC Arandell Hand Sanitiser / MAC Arandell Hand Sanitiser Gel

All pack sizes 210L drum, 5L jerry, 500ml and 150ml bottles

Statement of Considered a Hazardous Substance according to the criteria of the New Zealand

**Hazard Nature** Hazardous Substances, New Organisms legislation

Classified as a Dangerous Good for transport purposes

**Proper Shipping** 

**ETHANOL, ETHANOL SOLUTION** 

Name

Supplier Name Arandee Ltd

Address 108 Rockfield Road, Penrose, Auckland 1061, New Zealand

**Telephone** +64 (9) 579 5139

**Emergency** National Poisons Centre -24 hours Australia 13 11 26

New Zealand 0800 POISON

0800 764 766

E-mail sales@arandee.co.nz

Web Site <a href="http://www.arandee.co.nz">http://www.arandee.co.nz</a>

Synonym(s) MAC Arandell; MAC Arandell Surface Sanitiser; MAC Hand Sanitiser Gel

Use(s) A powerful hand sanitiser that contains 70% ethanol. Leaves hands hygienically clean (kills up

to 99.9% of common germs & viruses). The unique formulation disinfects and conditions hands. Designed for use in commercial and industrial settings, public health and government

stitutions

Approval(s) Ministry of Primary Industries Approval C54 (all animal products including dairy)

AsureQuality food/Beverage/Dairy

# 2. HAZARDS IDENTIFICATION

THIS SUBSTANCE IS CLASSIFIED AS A DANGEROUS GOOD ACCOURING TO NZS5433: 2007 EPA APPROVAL CODE: HSR 002552. UN NO 1170



**DG Class**3.1B Highly Flammable liquid and vapour

**6.4A** Causes eye irritation

Prevention Statements P103 Read label before use

**P210** Keep away from heat, sparks, open flame/hot surface

P233 Keep container tightly closed

**Response Statements** P370+P378 In case of fire: use water, foam, dry spray for extinction

**Public Health Hand Sanitiser** 



### MAC ARANDELL HAND SANITISER GEL -

**70% ETHANOL** 

P305 P351 If in eyes: Rinse with water for several minutes, remove

contact lenses, if present and easy to do so. Continue

rinsing

P337 P313 If eye irritation persists get medical advice/attention

Storage Statement P403 P235 Store in well ventilated place. Keep cool

## 3. HAZARDS IDENTIFICATION COMPOSITION OF INGREDIENTS

Ingredient	Formula	Concentration	CAS Number
Ethanol Denatured		70.00	64-17-5
Balance of materials not hazardous		30.00	
Other (Non DG ingredients)			

#### 4. FIRST AID MEASURES

Eye Hold eyelids apart and flush continuously with water for 15 minutes. Remove contact lenses if

present and easy to do so. Continue until advised to stop by the Poisons Information Centre, a

doctor, or for at least 15 minutes. Keep patient calm.

**Inhalation** Not a likely route of exposure.

Skin Do not apply to open wounds and avoid broken skin where possible. If irritation

occurs flush affected areas with water. Seek medical attention if irritation persists.

**Ingestion** For advice, contact a Poisons Information Centre on 0800 764 766 (0800 POISON) or +64 9 579

5139 (New Zealand) or a doctor. If swallowed, DO NOT induce vomiting, Seek medical attention

Advice to Doctor Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

Flammability Highly flammable liquid and vapour. When handling a significant spillage, eliminate all ignition

sources, including cigarettes, open flames, spark producing switches, heaters, naked lights,

mobile phones, etc.

**Hazardous Thermal** 

Decomposition

**Products** 

None

Special Protective

Equipment for Firefighters

Fire and Explosion

Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Highly flammable, explosive vapour. Evacuate area and contact emergency services. Toxic



## MAC ARANDELL HAND SANITISER GEL -

#### **70% ETHANOL**

**Public Health Hand Sanitiser** 

gases may evolve, when heated. Remain upwind and notify those downwind of hazard. Wear full protective equipment, including Self Contained Breathing Apparatus (SCBA), when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Extinguishing Dry agent, carbon dioxide foam, or water fog. Prevent contamination of drains or waterways;

absorb runoff with sand or similar.

HazChem 2YE

# 6. ACCIDENTAL RELEASE MEASURES

Small Spill Stop leak without risk. Move containers from spill area. Dilute with water and mop up if water-

soluble. Alternatively, or if water-insoluble, absorb with an inert dry material such as sand and place in an appropriate waste disposal container. Use spark proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Caution: Spill site may be

slippery.

Large Spill If large quantities of containers or drums are puncture or spilled, clear area of all unprotected

personnel and ventilate area. Wear splash-proof goggles, leather gloves, coveralls, and boots. Where inhalation risks exist, wear a Type A-Class P1 (Organic vapour and Particulate) respirator. Collect cans and allow to discharge outdoors. Absorb any residues with sand or similar and

place in clean containers for disposal. DO NOT wash away into sewer.

### 7. HANDLING AND STORAGE

**Handling** Use safe work practices to avoid eye or broken skin contact and inhalation. Observe good

personal hygiene, including washing hands before eating. Keep out of the reach of children.

**Storage** Store in a cool, dry well ventilated area, well away from oxidising agents, acids, alkalis, direct

sunlight, heat or ignition sources, or foodstuffs. Ensure containers are adequately labelled, protected from physical damage, and sealed when not in use. Check regularly for leaks or spills.

Large storage areas should have appropriate fire protection.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Australia

Ingredient Name Exposure Limits

Ethanol Safe Work Australia (Australia, 8/2005)

TWA: 1880 mg/m<sup>3</sup> 8 hour(s). TWA: 1000 ppm 8 hour(s).

New Zealand

Ingredient Name Exposure Limits

Ethanol NZ OSH (New Zealand, 12/2010)

WES-TWA: 1000 ppm 8 hour(s). WES-TWA: 1880 mg/m<sup>3</sup> 8 hour(s).

**Public Health Hand Sanitiser** 



# MAC ARANDELL HAND SANITISER GEL -

**70% ETHANOL** 

Ventilation DO NOT directly inhale concentrated vapours. Use in well-ventilated areas. Mechanical

> extraction ventilation is recommended for poorly ventilated area. Vapours are heavier than air and may travel some distance to an ignition source and flash back. Maintain vapour levels

below the recommended exposure standard.

**Personal Protection Equipment** 

No personal protective equipment is required, normally. When splashing is possible (bulk liquid) use chemical safety goggles. Maintain eye wash fountain and quick drench facilities in

work areas.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

**COLOURLESS LIQUID Appearance** Solubility (water) COMPLETELY SOLUBLE IN WATER

FRAGRANT ODOUR **Specific Gravity** 0.85 **Odour** 5.0-7.0 70% % Volatiles pН

NA HIGHLY FLAMMABLE **Flammability** 

AIR=1 >1 21-22 **Vapour Density Flash Point** 

**Melting Point** NA 80-90°C **Boiling Point** NA **Evaporation Rate** 

# 10. STABILITY AND REACTIVITY

Reactivity Incompatible with oxidising agents, heat and ignition sources.

Decomposition

**Vapour Pressure** 

None

**Products** 

# 11. TOXICOLOGICAL INFORMATION

# **Acute Toxicity**

Product/Ingredient Name	Result	Species	Dose	Exposure
Ethanol	LC50 Inhalation Vapour	Rat	124700 mg/m <sup>3</sup>	4 hours
	LD50 Oral	Rat	7 g/kg	

# **Irritation/Corrosion**



# MAC ARANDELL HAND SANITISER GEL – 70% ETHANOL

**Public Health Hand Sanitiser** 

Health Hazard Summary General population. The exposure of the general population is expected to be low and is not

likely to present a hazard when it is used as recommended.

Occupational exposure. With reasonable work practices, hygiene measures and

Safety precautions, is unlikely to be an occupational hazard.

Asphyxiant narcotic. This product may only present a hazard with direct eye contact, prolonged

and repeated skin contact or with vapour/gas inhalation at high levels.

**Eye** Low irritant. Contact may result in lacrimation, pain, redness, and conjunctivitis. Prolonged

contact may result in corneal burns, with possible permanent damage.

**Inhalation** Low to moderate Irritant, narcotic, asphyxiant. Over exposure may result in upper respiratory

tract irritation, nausea, and headache. At high levels; dizziness, breathing difficulties, and at very high levels, anaesthesia, cardiac arrhythmias, pulmonary oedema and unconsciousness.

Skin Low irritant. Prolonged contact may result in irritation, redness, rash, dermatitis, and

sensitisation.

**Ingestion** Exposure considered unlikely, due to product form as an aerosol. Under normal conditions of

use, ingestion is considered a highly unlikely, exposure route.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** No known significant effects or critical hazards.

## **Aquatic ecotoxicity**

Product/ Ingredient Name	Result	Species	Exposure
Ethanol Acute EC50 17.921 mg/L Marine water		Algae – Ulva pertusa	96 hours
	Acute EC50 2000 ug/L Fresh water	Daphina – Daphnia magna	48 hours
	Acute LC50 25500 ug/L Marine water	Crustaceans – Artemia	48 hours
		Franchiscana – Larvae	
	Acute LC50 42000 ug/L Fresh water	Fish – Oncorhynchus mykiss	4 days
	Chronic NOEC 0.375 ul/L Fresh water	Fish – Gambusia holbrooki –	12 weeks
		Larvae – 3 days	

# **Other ecological information**

Product/ Ingredient Name	LogP ow	BCF	Potential
Ethanol	-0.32		low

Other adverse effects

No known significant effects or critical hazards.

**Environment** 

Environmental effects of the compound are extremely unlikely, due to packaging in the form of an aerosol. Ensure appropriate measures are taken to prevent this product from entering the

environment through wastewater.



# MAC ARANDELL HAND SANITISER GEL – 70% ETHANOL

Public Health Hand Sanitiser

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts, absorb contents with sand or similar and dispose of to an approved landfill

site. DO NOT puncture or incinerate aerosol cans. Contact the manufacturer for additional

information.

**Legislation** Dispose of in accordance with relevant, local legislation.

# 14. TRANSPORT INFORMATION

	Shipping Name	UN	Packing	DG	Subsidiary	Hazchem
		No	Group	Class	Risk(s)	
Land	Ethanol Solution	1170	II	3	None Allocated	2YE
Sea	Ethanol Solution	1170	II	3	None Allocated	2YE
Air	Ethanol Solution	1170	II	3	None Allocated	

### 15. REGULATORY INFORMATION

# Standard for the Uniform Scheduling of Medicines and Poisons

Australia inventory (AICS)

All components are listed or exempted

New Zealand Inventory of Chemicals (NZIoC)

All components are listed or exempted

HSNO Group Standard

HSR 002552 Cosmetic Products

Location Certificate Required

≥ 100L (>5L), 250L (<5L), 50L open

**Approved Handler Requirement** ≥250L if containers ≥ 5L

≥500L if containers ≤ 5L

Signage 250L

Tracking Not required Emergency Response Plan/Secondary 1000L

Containment



# MAC ARANDELL HAND SANITISER GEL – 70% ETHANOL

**Public Health Hand Sanitiser** 

#### 16. OTHER INFORMATION

# Additional Information

ASPHYXIANTS (1): reduce the oxygen concentration by displacement, when present in the atmospheres, in high concentrations. As most simple asphyxiants are odourless, atmospheres deficient in oxygen do not provide adequate sensory warning of danger. Therefore, it is not generally appropriate to recommend an exposure standard for each asphyxiant, but instead warn of the need to maintain oxygen concentrations.

Some asphyxiants may be given an exposure standard, due to their potential for narcotic effects at high concentrations, or an explosion hazard.

#### Asphyxiants (2)

There is a significant hazard associated with workers entering poorly, ventilated areas (e.g., tanks) where oxygen levels may be deficient. An air supplied breathing apparatus may be required if adequate ventilation is not ensured. Refer to AS/NZS 2865 - Safe Working in a Confined Space.

### Respirators

In general, the best practice to avoid exposure is to use engineering controls, such as adequate ventilation, rather than the use of respirators (which should be limited).

If respiratory equipment must be worn, ensure correct respirator selection and training is undertaken. Some respirators may be extremely uncomfortable, when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

#### **Abbreviations**

Mg/m3 - Milligrams per cubic metre

ppm -Parts Per Million

M - moles per litre, a unit of measure of concentration.

pH - relates to hydrogen ion concentration - this value will relate to a scale of 0 – 14,

where 0 is highly acidic and 14 is highly alkaline.

TWA/ES - Time Weighted Average or Exposure Standard.

CAS# - Chemical Abstract Service number - uniquely identifies chemical compounds.

CNS - Central Nervous System NOS - Not Otherwise Specified

IARC - International Agency for Research on Cancer.

# Personal Protective Equipment

The recommendations for protective equipment contained within this SDS report are provided as a guide only, when dealing with an abnormal situation. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before the final selection of personal protective equipment is made.

# Health Effects from Exposure

It should be noted that the effects from excess exposure to this product would depend on several factors, including duration of exposure, quantity involved, effectiveness of control measures used; protective equipment and method of application. Given that, it is impractical to prepare a SDS report, which would encompass all possible scenarios, it is anticipated that users will assess the risks in an emergency and apply appropriate control methods.



# MAC ARANDELL HAND SANITISER GEL – 70% ETHANOL

**Public Health Hand Sanitiser** 

## **Report Status**

This report is based upon information provided by ingredient manufacturers, and third party experts. We believe that the information represents the current state of knowledge about safety and handling precautions that are appropriate for this product. Further clarification regarding any aspect of the product should be obtained directly from the Chief Chemist at Arandee Ltd.

While Arandee has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy, or completeness. As far as lawfully possible, Arandee accepts no liability for any loss, injury, or damage (including consequential loss) which may be suffered, or incurred by any person, because of their reliance upon the information contained in this Safety Data Sheet.

#### Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any ability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.